

TwinPoint Gen2
CATALOGUE



Folding door lock with internal and external access

centor®

Stainless steel handles - outward

Single non-keyed	3
Single keyed	3
Double	4 - 5

Stainless steel handles - inward

Single non-keyed	6
Single keyed	7
Double	8-9

Zinc handles

Single	10
Spindle kit	11
Double	11

Cylinders - outward

Single	12
Removable key/thumb turn	12
Double	13-15

Cylinders - inward

Single	16-17
--------	-------

Lock bodies

	18
--	----

Transmission - wood

Rod and cover sets	19
Adaptors	20
Bolt cups	21
Strike plates	22
Joiners kit - non keyed	23
Joiners kit - keyed	24

Transmission - hollow


Shims	25
Transmission rod set	25
Bolt guides	25
Bolts and transmission rod adaptors	26

Stainless steel handles - outward opening

Single handle H01

Contents

1 x handle set, 1 x gasket, mounting screws




Non-keyed Short

20.5mm spindle depth

TPL-002-C-S	brushed stainless
TPL-002-C-OL	PVD black
TPL-002-C-TG	PVD brass

29.5mm spindle depth

TPL-002-G-S	brushed stainless
TPL-002-G-OL	PVD black
TPL-002-G-TG	PVD brass



Keyed Long

20.5mm spindle depth

TPL-024-C-S	brushed stainless
TPL-024-C-OL	PVD black
TPL-024-C-TG	PVD brass

29.5mm spindle depth

TPL-024-G-S	brushed stainless
TPL-024-G-OL	PVD black
TPL-024-G-TG	PVD brass

Stainless steel handles - outward opening (continue)

Double handle keyed, H01 Long

Contents

1 x internal handle set, 1 x external handle set
2 x gasket, 3 x mounting screws

23.5mm - 29.5mm spindle depth

TPL-001-JG-S	brushed stainless
TPL-001-JG-OL	PVD black
TPL-001-JG-TG	PVD brass

23.5mm - 34.5mm spindle depth

TPL-001-JK-S	brushed stainless
TPL-001-JK-OL	PVD black
TPL-001-JK-TG	PVD brass

23.5mm - 39.5mm spindle depth


TPL-001-JL-S	brushed stainless
TPL-001-JL-OL	PVD black
TPL-001-JL-TG	PVD brass

23.5mm - 44.5mm spindle depth


TPL-001-JM-S	brushed stainless
TPL-001-JM-OL	PVD black
TPL-001-JM-TG	PVD brass

23.5mm - 49.5mm spindle depth

TPL-001-JN-S	brushed stainless
TPL-001-JN-OL	PVD black
TPL-001-JN-TG	PVD brass



Stainless steel handles - outward opening (continue)



23.5mm - 54.5mm spindle depth

TPL-001-JO-S	brushed stainless
TPL-001-JO-OL	PVD black
TPL-001-JO-TG	PVD brass

23.5mm - 59.5mm spindle depth

TPL-001-JP-S	brushed stainless
TPL-001-JP-OL	PVD black
TPL-001-JP-TG	PVD brass

23.5mm - 64.5mm spindle depth

TPL-001-JQ-S	brushed stainless
TPL-001-JQ-OL	PVD black
TPL-001-JQ-TG	PVD brass

23.5mm - 69.5mm spindle depth

TPL-001-JR-S	brushed stainless
TPL-001-JR-OL	PVD black
TPL-001-JR-TG	PVD brass

Stainless steel handles - inward opening

Single handle H01

Contents

1 x handle set, 1 x gasket, 2 x mounting screws

Non-keyed Short

29.5mm spindle depth

TPL-002-G-S	brushed stainless
TPL-002-G-OL	PVD black
TPL-002-G-TG	PVD brass

34.5mm spindle depth

TPL-002-K-S	brushed stainless
TPL-002-K-OL	PVD black
TPL-002-K-TG	PVD brass

44.5mm spindle depth

TPL-002-M-S	brushed stainless
TPL-002-M-OL	PVD black
TPL-002-M-TG	PVD brass

54.5mm spindle depth


TPL-002-O-S	brushed stainless
TPL-002-O-OL	PVD black
TPL-002-O-TG	PVD brass

64.5mm spindle depth

TPL-002-Q-S	brushed stainless
TPL-002-Q-OL	PVD black
TPL-002-Q-TG	PVD brass

69.5mm spindle depth

TPL-002-R-S	brushed stainless
TPL-002-R-OL	PVD black
TPL-002-R-TG	PVD brass



Stainless steel handles - inward opening (continue)

Single handle H01

Contents

1 x handle set, 1 x gasket, 3 x mounting screws

Keyed Long

29.5mm spindle depth

TPL-024-G-S	brushed stainless
TPL-024-G-OL	PVD black
TPL-024-G-TG	PVD brass

34.5mm spindle depth

TPL-024-K-S	brushed stainless
TPL-024-K-OL	PVD black
TPL-024-K-TG	PVD brass

44.5mm spindle depth

TPL-024-M-S	brushed stainless
TPL-024-M-OL	PVD black
TPL-024-M-TG	PVD brass

54.5mm spindle depth


TPL-024-O-S	brushed stainless
TPL-024-O-OL	PVD black
TPL-024-O-TG	PVD brass

64.5mm spindle depth

TPL-024-Q-S	brushed stainless
TPL-024-Q-OL	PVD black
TPL-024-Q-TG	PVD brass

69.5mm spindle depth

TPL-024-R-S	brushed stainless
TPL-024-R-OL	PVD black
TPL-024-R-TG	PVD brass



Stainless steel handles - inward opening (continue)

Double handle keyed, H01 Long

Contents

1 x internal handle set, 1 x external handle set
2 x gasket, 3 x mounting screws

29.5mm - 23.5mm spindle depth

TPL-001-GJ-S	brushed stainless
TPL-001-GJ-OL	PVD black
TPL-001-GJ-TG	PVD brass

34.5mm - 23.5mm spindle depth

TPL-001-KJ-S	brushed stainless
TPL-001-KJ-OL	PVD black
TPL-001-KJ-TG	PVD brass

39.5mm - 23.5mm spindle depth

TPL-001-LJ-S	brushed stainless
TPL-001-LJ-OL	PVD black
TPL-001-LJ-TG	PVD brass

44.5mm - 23.5mm spindle depth


TPL-001-MJ-S	brushed stainless
TPL-001-MJ-OL	PVD black
TPL-001-MJ-TG	PVD brass

49.5mm - 23.5mm spindle depth


TPL-001-NJ-S	brushed stainless
TPL-001-NJ-OL	PVD black
TPL-001-NJ-TG	PVD brass

54.5mm - 23.5mm spindle depth

TPL-001-OJ-S	brushed stainless
TPL-001-OJ-OL	PVD black
TPL-001-OJ-TG	PVD brass



Stainless steel handles - inward opening (continue)



59.5mm - 23.5mm spindle depth

TPL-001-PJ-S	brushed stainless
TPL-001-PJ-OL	PVD black
TPL-001-PJ-TG	PVD brass

64.5mm - 23.5mm spindle depth

TPL-001-QJ-S	brushed stainless
TPL-001-QJ-OL	PVD black
TPL-001-QJ-TG	PVD brass

69.5mm - 23.5mm spindle depth

TPL-001-RJ-S	brushed stainless
TPL-001-RJ-OL	PVD black
TPL-001-RJ-TG	PVD brass

Zinc diecast handles

Single handle H02

Contents

1 x handle set, 30 & 35mm mounting screws


1 x 25 & 37mm spindles

2 x M4 spindle grub screw, 1 x 2mm allen key




Non-keyed Short

TPL-055-01-NI	nickel plated
TPL-055-01-LM	black matt powdercoat
TPL-055-01-WM	white matt powdercoat



Non-keyed Long

TPL-056-01-NI	nickel plated
TPL-056-01-LM	black matt powdercoat
TPL-056-01-WM	white matt powdercoat



Keyed Long


TPL-057-01-NI	nickel plated
TPL-057-01-LM	black matt powdercoat
TPL-057-01-WM	white matt powdercoat

Spindle kit

Spindle kit 100mm

Contents

1 x 100mm spindle, 3 x 100mm mounting screws
 1 x M4 spindle grub screw, 1 x 2mm allen key



For non standard panels, cut spindle and screws to fit


TPL-058-100-S	stainless steel
TPL-058-100-OL	PVD black

Zinc diecast handles

Double handle keyed, H02 Long

Contents

1 x internal handle set, 1 x external handle set
 3 x 100mm mounting screws
 1 x 100mm spindles
 2 x M4 spindle grub screw, 1 x 2mm allen key



Keyed Long


TPL-054-03-NI	nickel plated
TPL-054-03-LM	black matt powdercoat
TPL-054-03-WM	white matt powdercoat

Single lock cylinders - outward opening

Lock cylinder Euro single keyed alike C4


Contents

- 1 x cylinder, 3 x 5-pin key, 1 x 20mm long cylinder screw
- 1 x Rehanding instruction



3 Pin 23mm

TPL-022-KA-US15	satin nickel
TPL-022-KA-MB	matt black
TPL-022-KA-TG	PVD brass



5 Pin 32mm


TPL-023-KA-US15	satin nickel
TPL-023-KA-MB	matt black
TPL-023-KA-TG	PVD brass

Removable key/thumb turn

Key with thumb turn keyed alike C4

Contents

- 1 x thumb turn



5 pin - for single cylinders TPL-022-KA * and TPL-023-KA *


TPL-044-KA-US15	satin nickel
TPL-044-KA-MB	matt black
TPL-044-KA-TG	PVD brass

Double lock cylinders

Lock cylinder Euro double 6 pin security

Contents

1 x cylinder, 3 x key, 1 x 20mm long cylinder screw



65mm (30-35) suit panel thickness 54 to 58mm

TPL-050-65-L-KD-MB	left hand	- matt black
TPL-050-65-L-KD-SN		- satin
TPL-050-65-L-KD-SB		- brass
TPL-050-65-R-KD-MB	right hand	- matt black
TPL-050-65-R-KD-SN		- satin
TPL-050-65-R-KD-SB		- brass


70mm (30-40) suit panel thickness 58 to 63mm

TPL-050-70-L-KD-MB	left hand	- matt black
TPL-050-70-L-KD-SN		- satin
TPL-050-70-L-KD-SB		- brass
TPL-050-70-R-KD-MB	right hand	- matt black
TPL-050-70-R-KD-SN		- satin
TPL-050-70-R-KD-SB		- brass

75mm (30-45) suit panel thickness 63 to 68mm

TPL-050-75-L-KD-MB	left hand	- matt black
TPL-050-75-L-KD-SN		- satin
TPL-050-75-L-KD-SB		- brass
TPL-050-75-R-KD-MB	right hand	- matt black
TPL-050-75-R-KD-SN		- satin
TPL-050-75-R-KD-SB		- brass

Double lock cylinders (continue)



80mm (30-50) suit panel thickness 68 to 73mm

TPL-050-80-L-KD-MB	left hand	- matt black
TPL-050-80-L-KD-SN		- satin
TPL-050-80-L-KD-SB		- brass
TPL-050-80-R-KD-MB	right hand	- matt black
TPL-050-80-R-KD-SN		- satin
TPL-050-80-R-KD-SB		- brass

85mm (30-55) suit panel thickness 73 to 78mm

TPL-050-85-L-KD-MB	left hand	- matt black
TPL-050-85-L-KD-SN		- satin
TPL-050-85-L-KD-SB		- brass
TPL-050-85-R-KD-MB	right hand	- matt black
TPL-050-85-R-KD-SN		- satin
TPL-050-85-R-KD-SB		- brass


90mm (30-60) suit panel thickness 78 to 83mm

TPL-050-90-L-KD-MB	left hand	- matt black
TPL-050-90-L-KD-SN		- satin
TPL-050-90-L-KD-SB		- brass
TPL-050-90-R-KD-MB	right hand	- matt black
TPL-050-90-R-KD-SN		- satin
TPL-050-90-R-KD-SB		- brass

95mm (30-65) suit panel thickness 83 to 88mm

TPL-050-95-L-KD-MB	left hand	- matt black
TPL-050-95-L-KD-SN		- satin
TPL-050-95-L-KD-SB		- brass
TPL-050-95-R-KD-MB	right hand	- matt black
TPL-050-95-R-KD-SN		- satin
TPL-050-95-R-KD-SB		- brass

Double lock cylinders (continue)



100mm (30-70) suit panel thickness 88 to 93mm

TPL-050-100-L-KD-MB	left hand	- matt black
TPL-050-100-L-KD-SN		- satin
TPL-050-100-L-KD-SB		- brass
TPL-050-100-R-KD-MB	right hand	- matt black
TPL-050-100-R-KD-SN		- satin
TPL-050-100-R-KD-SB		- brass

105mm (30-75) suit panel thickness 93 to 98mm


TPL-050-105-L-KD-MB	left hand	- matt black
TPL-050-105-L-KD-SN		- satin
TPL-050-105-L-KD-SB		- brass
TPL-050-105-R-KD-MB	right hand	- matt black
TPL-050-105-R-KD-SN		- satin
TPL-050-105-R-KD-SB		- brass

Single lock cylinders - inward opening

Lock cylinder Euro single 6 pin security

Contents

- 1 x cylinder, 3 x 5-pin key, 1 x 20mm long cylinder screw
- 1 x Rehanding instruction



35mm for panel thickness 54 to 58mm

TPL-064-35-KD-MB	matt black
TPL-064-35-KD-SN	satin nickel
TPL-064-35-KD-SB	brass

40mm for panel thickness 59 to 63mm

TPL-064-40-KD-MB	matt black
TPL-064-40-KD-SN	satin nickel
TPL-064-40-KD-SB	brass

45mm for panel thickness 64 to 68mm

TPL-064-45-KD-MB	matt black
TPL-064-45-KD-SN	satin nickel
TPL-064-45-KD-SB	brass

50mm for panel thickness 69 to 73mm

TPL-064-50-KD-MB	matt black
TPL-064-50-KD-SN	satin nickel
TPL-064-50-KD-SB	brass


55mm for panel thickness 74 to 78mm

TPL-064-55-KD-MB	matt black
TPL-064-55-KD-SN	satin nickel
TPL-064-55-KD-SB	brass

60mm for panel thickness 79 to 83mm

TPL-064-60-KD-MB	matt black
TPL-064-60-KD-SN	satin nickel
TPL-064-60-KD-SB	brass

Single lock cylinders - inward opening (continue)



65mm for panel thickness 84 to 88mm

TPL-064-65-KD-MB	matt black
TPL-064-65-KD-SN	satin nickel
TPL-064-65-KD-SB	brass

70mm for panel thickness 89 to 93mm

TPL-064-70-KD-MB	matt black
TPL-064-70-KD-SN	satin nickel
TPL-064-70-KD-SB	brass


75mm for panel thickness 94 to 98mm

TPL-064-75-KD-MB	matt black
TPL-064-75-KD-SN	satin nickel
TPL-064-75-KD-SB	brass

Lock bodies


Lock body

Contents
1 x lock body



Non-keyed

TPL-004	single short
---------	--------------



Keyed

TPL-025	single long
TPL-003	double long

Transmission rod and cover sets

Transmission rod set wood panels, torx

Contents

- 1 x lock body cover, 2 x top & bottom covers same length
- 2 x transmission rod with bolt attached (one short, one long)
- 4 x pop rivets, 1 x drill jig, 1 x torx screw pack

Short lock body cover

up to 1170mm panel height

TPL-070-11-XS	brushed metallic
TPL-070-11-LY	black

up to 1830mm panel height

TPL-070-18-XS	brushed metallic
TPL-070-18-LY	black

up to 2440mm panel height

TPL-070-24-XS	brushed metallic
TPL-070-24-LY	black

up to 3050mm panel height

TPL-070-30-XS	brushed metallic
TPL-070-30-LY	black

up to 4000mm panel height

TPL-070-40-XS	brushed metallic
TPL-070-40-LY	black

Long lock body cover

up to 2440mm panel height



TPL-039-24-XS	brushed metallic
TPL-039-24-LY	black

up to 3050mm panel height

TPL-039-30-XS	brushed metallic
TPL-039-30-LY	black

up to 4000mm panel height

TPL-039-40-XS	brushed metallic
TPL-039-40-LY	black




Transmission rod adaptors

Transmission rod adaptors

Contents

bag of 1 - 1 pair of rod adaptors

bag of 20 - 20 pairs of rod adaptors



26mm backset

TPL-015-CD-01	bag of 1 set
TPL-015-CD-20	bag of 20 sets

40mm backset

TPL-015-EF-01	bag of 1 set
TPL-015-EF-20	bag of 20 sets


Bolt cups

Single bolt cup kit 8mm

Contents

bag of 1 - 1 x single bolt cup, 2 x mounting screws

bag of 20 - 20 x single bolt cups, 40 x mounting screws




TPL-017-OL-01	bag of 1	- PVD black
TPL-017-S-01		- stainless steel
TPL-017-TG-01		- PVD brass
TPL-017-OL-20	bag of 20	- PVD black
TPL-017-S-20		- stainless steel
TPL-017-TG-20		- PVD brass

Double bolt cup kit 8mm

Contents

bag of 1 - 1 x double bolt cup, 2 x mounting screws

bag of 20 - 20 x double bolt cups, 40 x mounting screws



TPL-071-OL-01	bag of 1	- PVD black
TPL-071-S-01		- stainless steel
TPL-071-TG-01		- PVD brass
TPL-071-OL-20	bag of 20	- PVD black
TPL-071-S-20		- stainless steel
TPL-071-TG-20		- PVD brass


Strike plates

Single strike plate kit 8mm

Contents

bag of 1 - 1 x single bolt cup, 2 x mounting screws

bag of 20 - 20 x single bolt cups, 40 x mounting screws




TPL-018-OL-01	bag of 1	- PVD black
TPL-018-S-01		- stainless steel
TPL-018-TG-01		- PVD brass
TPL-018-OL-20	bag of 20	- PVD black
TPL-018-S-20		- stainless steel
TPL-018-TG-20		- PVD brass

Double strike plate kit 8mm

Contents

bag of 1 - 1 x double bolt cup, 2 x mounting screws


bag of 20 - 20 x double bolt cups, 40 x mounting screws



TPL-072-OL-01	bag of 1	- PVD black
TPL-072-S-01		- stainless steel
TPL-072-TG-01		- PVD brass
TPL-072-OL-20	bag of 20	- PVD black
TPL-072-S-20		- stainless steel
TPL-072-TG-20		- PVD brass

Joiners kit - non-keyed

Transmission rod kit - suits single handle non-keyed




Contents

- 1 x lock body cover, 2 x top & bottom covers same length*
- 2 x transmission rod with bolt attached (one short, one long)*
- 4 x pop rivets, 1 x drill jig, 1 x torx screw pack*
- 1 x lock body*
- 1 pair of rod adaptors*

up to 2440mm high panel

TPL-059-24-XS	brushed stainless
TPL-059-24-LY	black

Accessories kit - single non-keyed



Contents


- 1 x handle set, 1 x gasket, 2 x mounting screws*
- 1 x bolt cup, 2 x mounting screws*
- 1 x strike plate, 2 x mounting screws*

suits 12mm cover offset - 29.5mm spindle depth

TPL-062-G-S	stainless steel
TPL-062-G-OL	PVD black
TPL-062-G-TG	PVD brass

Joiners kit - keyed

Transmission rod kit - suits single handle keyed




Contents

- 1 x lock body cover, 2 x top & bottom covers same length*
- 2 x transmission rod with bolt attached (one short, one long)*
- 4 x pop rivets, 1 x drill jig, 1 x torx screw pack*
- 1 x lock body*
- 1 pair of rod adaptors*

up to 2440mm high panel

TPL-060-24-XS	brushed stainless
TPL-060-24-LY	black

Accessories kit -single keyed



Contents

- 1 x handle set, 1 x gasket, 3 x mounting screws*
- 1 x bolt cup, 2 x mounting screws*
- 1 x strike plate, 2 x mounting screws*
- 1 x 5pin cylinder, 3 x 5-pin key, 1 x 20mm long cylinder screw*
- 1 x Rehandling instruction, 1 x thumb turn*


suits 12mm cover offset - 29.5mm spindle depth

TPL-063-G-S	stainless steel
TPL-063-G-OL	PVD black
TPL-063-G-TG	PVD brass

Shims

Shim

Contents
50 x shims




bag of 50

TPL-038-05-50	5mm
TPL-038-08-50	8mm
TPL-038-16-50	16mm

Transmission rod set

Transmission rod set

Contents
2 x transmission rods with




TPL-041-24	up to 2440mm panel height
TPL-041-30	up to 3050mm panel height
TPL-041-40	up to 4000mm panel height

Bolt guides


Bolt guide aluminium

Contents
bag of 2 - 2 x bolt guides, 4 x 8mm long screws
bag of 20 - 20 x bolt guides, 40 x 8mm long screws



13.0mm ID - 13mm offset

TPL-034-NF-02	bag of 2
TPL-034-NF-20	bag of 20



12.4mm ID - 20mm offset

TPL-035-NF-02	bag of 2
TPL-035-NF-20	bag of 20


Bolts and transmission rod adaptors

Rount bolt and adaptor

Contents

bag of 2 - 2 x bolts, 2 x adaptors (not attached)

bag of 20 - 20 x bolts, 20 x adaptors (not attached)



12.7mm single flat

TPL-033-B-02	bag of 2
TPL-033-B-20	bag of 20

12.7mm double flat

TPL-033-A-02	bag of 2
TPL-033-A-20	bag of 20

12.5mm single flat

TPL-033-C-02	bag of 2
TPL-033-C-20	bag of 20

12.0mm single flat

TPL-033-D-02	bag of 2
TPL-033-D-20	bag of 20

11.5mm single flat


TPL-033-E-02	bag of 2
TPL-033-E-20	bag of 20

Square bolt and adaptor

Contents

bag of 2 - 2 x bolts, 2 x adaptors (not attached)

bag of 20 - 20 x bolts, 20 x adaptors (not attached)



8mm

TPL-033-F-02	bag of 2
TPL-033-F-20	bag of 20

Centor UK Ltd

Birmingham
+44 (0) 121 701 2500
mail.uk@centor.com
centor.com

Centor Europe

Stryków
+48 42 206 8810
mail.ce@centor.com
centor.com